2019

B.Sc.

1st Semester Examination

CHEMISTRY (Honours)

Paper - C 1-T

Full Marks: 40

Time: 2 Hours

The figures in the margin indicate full marks. Candidates are required to give their answers in their own words as far as practiable.

Group - A

1. Answer any five questions:

- 5×2=10
- (a) Define non-classical carbocation with an example.
- (b) Show that the reaction of trans 2-butane with methylene obtained from diazomethane takes place in a stereospecific manner.
- (c) Calculate the double bond equivalent (D.B.E.) of the following: $C_{14}H_8O_2$ and $C_{10}H_{14}N_2$.

- (d) What do you mean by homoaromaticity. Give an example.
- (e) What do you mean by stereogenic centre?
- (f) Draw E and Z isomers of Butanone oxime and azobenzene.
- (g) Determine symmetry point group of staggered ethane and 1, 3-dimethylallene
- (h) What do you mean by "optical purity" and "enantiomeric excess"?

Group - B

Answer any four questions:

 $5 \times 4 = 20$

- (a) The bond dissociation energy of Ph-CH₂-H bond is considerably smaller than that of CH₃-H bond Explain.
 - (b) Calculate formal charge of CH_3 , $\dot{C}H_3$ and $\ddot{C}H_3$.
- 3. (a) Hyperconjugation is not observed in C—C bond in α-position with respect to carbocation Why?

- (b) Calculate the double bond equivalent of $C_7H_6O_2$, C_3H_7N and $C_{10}H_7Cl$.
- 4. (a) Draw all stereo isomers of Pent-3-ene-2-ol. Which of these are enantiomers? 2+1
 - (b) What do you mean by asymmetric and dissymmetric molecules? Give examples. 2
- (a) The group moment of NH₂ and NO₂ are
 1.35D and 3.95D respectively, but the measured dipole moment of p-nitroaniline is 6.20D Explain.
 - (b) Which C—N bond \underline{a} or \underline{b} has a higher bond length and why?


$$O_2N$$
 I D_2N I

6. (a) Why singlet difluoro carbene is found to be more stable than its triplet state?


(b) Draw the M.O. diagram mentioning HOMO, LUMO, SOMO of + and - $1\frac{1}{2} \times 2 = 3$

[Turn Over]

21/2



(b) Define aromaticity. Comment on aromaticity of



2

1


(c) What do you mean by "epimers"?

Group - C

Answer any one question:

1×10=10

- 8. (a) What are radical inhibitors and how do they work?
 - (b) The ∠HCH bond angle in methane is 109°28′
 but ∠FCF bond angle in difluoromethane is much smaller Explain.
 - (c) Explain the terms (i) symmetry element and
 (ii) symmetry operation. 1+1
 - (d) What is the significance of specific rotation and molar rotation? $1\frac{1}{2}+1\frac{1}{2}$
 - (e) Assign R or s configuration to the following -



1

- 9. (a) Discuss the procedure of resolution of optically active alcohol.
 - (b) Draw the threo and erythro isomers of 3-bromo-2 butanol.
 - (c) Draw the orbital picture of CH_3CONH_2 and $CH_2 = CH COCH_3$. 1+1
 - (d) What is a pseudoassymetric centre? Show whether it is reflection invariant or not. 1+1
 - (e) The boiling point of 2.3 pentanediol (188°C) is much lower than its isomeric 1, 5 pentanediol (238°C) Explain.