

Chapter 8: Bibliography.. 

Bibliography

1. Abo-Al-Ela, H.G., 2018. An introduction to selected innate immune-relevant genes in fish. *Appl Ecol Env Res*, 16(2), pp.955-976.
2. Abowei, J.F.N., Briyai, O.F. and Bassey, S.E., 2011. A review of some viral, neoplastic, environmental and nutritional diseases of African fish. *Br J Pharmacol*, 2, pp.227-235.
3. Abraham, T.J., Mallick, P.K., Adikesavalu, H. and Banerjee, S., 2015. Pathology of *Edwardsiella tarda* infection in African catfish, *Clarias gariepinus* (Burchell 1822), fingerlings. *Arch. Pol. Fisheries*, 23(3), pp.141-148.
4. Alcántar-Curiel, M.D., Ledezma-Escalante, C.A., Jarillo-Quijada, M.D., Gayosso-Vázquez, C., Morfín-Otero, R., Rodríguez-Noriega, E., Cedillo-Ramírez, M.L., Santos-Preciado, J.I. and Girón, J.A., 2013. Association of Antibiotic Resistance, Cell Adherence, and Biofilm Production with the Endemicity of Nosocomial *Klebsiella pneumoniae*. *Biomed Res Int*, 2018. <https://doi.org/10.1155/2018/7012958>
5. Al-Imarah, E.A., 2008. Distribution of some aerobic bacteria in an infected *Cyprinus carpio* L. fish farm in Basrah and its resistance to antibiotics. *JKU*, 6(4), pp.209-215.
6. Aljanaby, A.A.J.J., 2017. Role of *rmpA*, *wabG*, *uge*, *Ycfm*, *fimh1*, *EntB*, *Ybt-irp2* and *kfu* genes in pathogenicity of *Klebsiella pneumoniae*: An overview. *Int J Chemtech Res*, 10(1): 391-398.
7. Allen, B.L., Gerlach, G.F. and Clegg, S., 1991. Nucleotide sequence and functions of *mrk* determinants necessary for expression of type 3 fimbriae in *Klebsiella pneumoniae*. *J. Bacteriol*, 173(2), pp.916-920.

8. Al-Niaem, K.S., Ameen, F., Hatamleh, A. and Bakri, M., 2015. Isolation and identification of pathogenic fungi on *Oreochromis aureus* (Steindachner, 1864) in the University of Basrah fish ponds. *Indian J Mar Sci*, 44(8), pp.1213-1216.
9. Álvarez, D., Merino, S., Tomás, J.M., Benedí, V.J. and Albertí, S., 2000. Capsular polysaccharide is a major complement resistance factor in lipopolysaccharide O side chain-deficient *Klebsiella pneumoniae* clinical isolates. *Infect Immun*, 68(2), pp.953-955
10. Amar, E.C. and Lavilla-Pitogo, C.R., 2004. Nutritional diseases. In *Diseases of cultured groupers* (pp. 59-66). Aquaculture Department, Southeast Asian Fisheries Development Center.
11. Anderson, D.P. and Siwicki, A.K., 1995. Basic hematology and serology for fish health programs. Basic haematology and serology for fish health programs. In: Shariff M, Authur JR, Subasinghe RP, editors. *Diseases in Asian aquaculture II*, fish health section. Manila, Philippines: Asian Fisheries Society; pp. 185-202.
12. Ashurst, J.V. and Dawson, A., 2018. Pneumonia, Klebsiella. In *StatPearls [Internet]*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK519004/>
13. Ayyappan, S. 2007. In: India ranks second in inland fish production. *The Economic Times* 2 Nov. End.
14. Ayyappan, S. and Krishnan, M., 2004. Fisheries sector in India: Dimensions of development. *Indian J. Agric. Econ.*, 59(3), pp.392-412.
15. Bach, S., de Almeida, A. and Carniel, E., 2000. The *Yersinia* high-pathogenicity island is present in different members of the family Enterobacteriaceae. *FEMS Microbiol Lett*, 183(2), pp.289-294.

16. Bagley, S.T. and Seidler, R.J., 1978. Primary *Klebsiella* identification with MacConkey-inositol-carbenicillin agar. *Appl. Environ. Microbiol*, 36(3), pp.536-538.
17. Barrett, T.J. and Blake, P.A., 1981. Epidemiological usefulness of changes in hemolytic activity of *Vibrio cholerae* biotype El Tor during the seventh pandemic. *J Clin Microbiol*, 13(1), pp.126-129.
18. Basu, M., Paichha, M., Swain, B., Lenka, S.S., Singh, S., Chakrabarti, R. and Samanta, M., 2015. Modulation of TLR2, TLR4, TLR5, NOD1 and NOD2 receptor gene expressions and their downstream signaling molecules following thermal stress in the Indian major carp Catla (*Catla catla*). *3 Biotech*, 5(6), pp.1021-1030.
19. Basu, M., Swain, B., Maiti, N.K., Routray, P. and Samanta, M., 2012. Inductive expression of toll-like receptor 5 (TLR5) and associated downstream signaling molecules following ligand exposure and bacterial infection in the Indian major carp, mrigal (*Cirrhinus mrigala*). *Fish Shellfish Immunol*, 32(1), pp.121-131.
20. Behera, B.K., Paria, P., Das, A., Bhowmick, S., Sahoo, A.K., Das, B.K., 2017. Molecular characterization and pathogenicity of a virulent *Acinetobacter baumannii* associated with mortality of farmed Indian Major Carp *Labeo rohita* (Hamilton 1822). *Aquaculture*, 471: pp. 157–162.
21. Behera, B.K., Pradhan, P.K., Swaminathan, T.R., Sood, N., Paria, P., Das, A., Verma, D.K., Kumar, R., Yadav, M.K., Dev, A.K. and Parida, P.K., 2018. Emergence of tilapia lake virus associated with mortalities of farmed Nile tilapia *Oreochromis niloticus* (Linnaeus 1758) in India. *Aquaculture*, 484, pp.168-174.

22. Bird, S., Wang, T., Zou, J., Cunningham, C. and Secombes, C.J., 2002. The first cytokine sequence within cartilaginous fish: IL-1 β in the small spotted catshark (*Scyliorhinus canicula*). *J Immunol*, 168(7), pp.3329-3340.
23. Bondad-Reantaso, M.G., Subasinghe, R.P., Arthur, J.R., Ogawa, K., Chinabut, S., Adlard, R., Tan, Z. and Shariff, M., 2005. Disease and health management in Asian aquaculture. *Vet Parasitol*, 132(3-4), pp.249-272.
24. Brisse, S. and Verhoef, J., 2001. Phylogenetic diversity of *Klebsiella pneumoniae* and *Klebsiella oxytoca* clinical isolates revealed by randomly amplified polymorphic DNA, *gyrA* and *parC* genes sequencing and automated ribotyping. *Int J Syst Evol Microbio*, 51(3), pp.915-924.
25. Brisse, S., Fevre, C., Passet, V., Issenhuth-Jeanjean, S., Tournebize, R., Diancourt, L. and Grimont, P., 2009. Virulent clones of *Klebsiella pneumoniae*: identification and evolutionary scenario based on genomic and phenotypic characterization. *PloS one*, 4(3), p.e4982.
26. Brisse, S., Grimont, F. and Grimont, P.A., 2006. The genus *Klebsiella*. *The Prokaryotes: Volume 6: Proteobacteria: Gamma Subclass*, pp.159-196.
27. Bruce, S.K., Schick, D.G., Tanaka, L., Jimenez, E.M. and Montgomerie, J.Z., 1981. Selective medium for isolation of *Klebsiella pneumoniae*. *J. Clin. Microbiol*, 13(6), pp.1114-1116.
28. Brynildsrud, O., Feil, E.J., Bohlin, J., Castillo-Ramirez, S., Colquhoun, D., McCarthy, U., Matejusova, I.M., Rhodes, L.D., Wiens, G.D. and Verner-Jeffreys, D.W., 2014. Microevolution of *Renibacterium salmoninarum*: evidence for intercontinental dissemination associated with fish movements. *The ISME Journal*, 8(4), pp.746.

29. Bujjamma, P. and Padmavathi, P., 2015. Prevalence of *Staphylococcus aureus* in fish samples of local domestic fish market. Int. J. Curr. Microbiol. App. Sci, 4(5), pp.427-433.
30. Burne, R.A. and Chen, Y.Y.M., 2000. Bacterial ureases in infectious diseases. Microb Infect, 2(5), pp.533-542.
31. Caruso, D., Schlumberger, O., Dahm, C. and Proteau, J.P., 2002. Plasma lysozyme levels in sheatfish *Silurus glanis* (L.) subjected to stress and experimental infection with *Edwardsiella tarda*. Aquac. Res., 33(12), pp.999-1008.
32. Catalán-Nájera, J.C., Garza-Ramos, U. and Barrios-Camacho, H., 2017. Hypervirulence and hypermucoviscosity: two different but complementary *Klebsiella* spp. phenotypes?. Virulence, 8(7), pp.1111-1123.
33. Cavana, Tomesello, Ripanti, Nebbia and Farca, 2009. Multiple organ dysfunction syndrome in a dog with *Klebsiella pneumoniae* septicemia. Schweiz Arch Tierh, 151(2), pp.69-74.
34. Cerenius, L., Lee, B.L. and Söderhäll, K., 2008. The proPO-system: pros and cons for its role in invertebrate immunity. Trends Immunol, 29(6), pp.263-271.
35. Chang, S.C., Fang, C.T., Hsueh, P.R., Chen, Y.C. and Luh, K.T., 2000. *Klebsiella pneumoniae* isolates causing liver abscess in Taiwan. Diagn Microbiol Infect Dis, 37(4), pp.279-284.
36. Chauhan, A., Sadaf, D., Koul, S., Mir, K., Sharma, N. and Singh, R., 2015. Drug's resistant activity of *Proteus vulgaris* isolated from gut of *Mystus seenghala* of northern Punjab region. J Chem Pharm Res, 7(12), pp.284-288.

37. Chidambaram, P., 2009. Studies On The Occurrence Of Diseases In Ornamental Fishes In Tamil Nadu (Doctoral dissertation, Fisheries College and Research Institute, Thoothukudi, Tamil Nadu Fisheries University).
38. Chomczynski, P. and Mackey, K., 1995. Short technical reports. Modification of the TRI reagent procedure for isolation of RNA from polysaccharide-and proteoglycan-rich sources. *Biotechniques*, 19(6), pp.942-945.
39. Choudhury, D., Thompson, A., Stojanoff, V., Langermann, S., Pinkner, J., Hultgren, S.J. and Knight, S.D., 1999. X-ray structure of the FimC-FimH chaperone-adhesin complex from uropathogenic *Escherichia coli*. *Sci*, 285(5430), pp.1061-1066.
40. Clegg, S., Korhonen, K.T., Hornick, B.D. and Tarkkanen, A.M., 1994. Type 3 fimbriae of the Enterobacteriaceae. *Fimbriae: adhesion, genetics, biogenesis, and vaccines*. CRC Press, Boca Raton, Fla, pp.97-104.
41. Collins, C.M., Gutman, D.M. and Laman, H., 1993. Identification of a nitrogen-regulated promoter controlling expression of *Klebsiella pneumoniae* urease genes. *Mol. Microbiol.*, 8(1), pp.187-198.
42. Das, A., Acharya, S., Behera, B.K., Paria, P., Bhowmick, S., Parida, P.K. and Das, B.K., 2018. Isolation, identification and characterization of *Klebsiella pneumoniae* from infected farmed Indian Major Carp *Labeo rohita* (Hamilton 1822) in West Bengal, India. *Aquaculture*, 482, pp.111-116.
43. Das, A., Sahoo, P.K., Mohanty, B.R. and Jena, J.K., 2011. Pathophysiology of experimental *Aeromonas hydrophila* infection in *Puntius sarana*: early changes in blood and aspects of the innate immune-related gene expression in survivors. *Vet Immunol Immunopathol*, 142(3-4), pp.207-218.

44. Das, D.R., Majumder, S. and Chandra, K.J., 2016. Argulus of Indian Major Carps in selected fish farms of Mymensingh. Bangladesh j. vet. med., 14(2), pp.243-250.
45. Das, M.K. and Das, R.K., 1993. A review of the fish disease epizootic ulcerative syndrome in India. Environment and ecology. 11(1), pp.134-145.
46. Dash, D., 2007. A pathoanatomical and limnological study of argulosis in Indian major carps in the freshwater bheries of West Bengal (Doctoral dissertation, Kolkata).
47. Dash, G., Sharma, B.B., Chakraborty, D. and Mukherjee, D., 2015. Parasitic study of Indian major carp *Catla catla* (Hamilton, 1822) in selected districts of West Bengal, India. IJAESTR, 1(5), pp.75-83.
48. Dash, P., Yadav, S.K., Garg, L.C., Dixit, A. and Sahoo, P.K., 2017. Post-challenge immune gene expression profiling in rohu, *Labeo rohita* vaccinated with modified adjuvant-based *Aeromonas hydrophila* outer membrane protein R formulation. Veterinarski arhiv, 87(5), pp.607-622.
49. Dash, S.S., Das, B.K., Pattnaik, P., Samal, S.K., Sahu, S. and Ghosh, S., 2009. Biochemical and serological characterization of *Flavobacterium columnare* from freshwater fishes of Eastern India. J world aquacult soc, 40(2), pp.236-247.
50. Datta, S., and Kumar, P., 2010. Major Fin Fish Diseases, Their Symptoms and Management Measures. DOI: 10.13140/2.1.5059.3609.
51. De Guzman, E., Shotts, E.B. and Gratzek, J.B., 1986. Review of Bacterial Diseases of Aquarium Fish. IAAAM Archive.
52. De Jong, J., 2017. Aquaculture in India. Rijksdienstvoor Ondernemend Nederland (RVO. nl), Netherlands.

53. De Vries, F.P., van Der Ende, A., Van Putten, J.P. and Dankert, J., 1996. Invasion of primary nasopharyngeal epithelial cells by *Neisseria meningitidis* is controlled by phase variation of multiple surface antigens. *Infect Immun*, 64(8), 2998-3006.
54. Del Rio-Tsonis, K., Tsonis, P.A., Zarkadis, I.K., Tsagas, A.G. and Lambris, J.D., 1998. Expression of the third component of complement, C3, in regenerating limb blastema cells of urodeles. *J. Immunol*, 161(12), pp.6819-6824.
55. Densen, P., and Mandell, G. L., 1990. Granulocytic phagocytes. In: *Principles and Practices of Infectious Diseases* (eds. Mandell G L, Douglas R G and Bennet J E), 81-101. Churchill Livingstone New York.
56. Department of Animal Husbandry Dairy and Fisheries (DAHDF), 2017, Ministry of Agriculture Hand Book of Fisheries Statistics Government of India, pp. 81 <http://dahd.nic.in/documents/reports>.
57. Deshpande, R.G., and Khan, M.B., 1999. Purification and characterization of hemolysin from *Porphyro monasgingivalis* A7436. *FEMS Microbiol Lett*, 176:387–94.
58. Diana, T.C. and Manjulatha, C., 2012. Incidence and identification of *Klebsiella pneumoniae* in mucosal buccal polyp of *Nemipterus japonicus* of Visakhapatnam Coast, India. *J. Fish. Aquat. Sci*, 7(6), pp.454-460.
59. Diancourt, L., Passet, V., Verhoef, J., Grimont, P.A. and Brisse, S., 2005. Multilocus sequence typing of *Klebsiella pneumoniae* nosocomial isolates. *J Clin Microbiol*, 43(8), pp.4178-4182.
60. Drancourt, M., Bollet, C., Carta, A., Rousselier, P., 2001. Phylogenetic analyses of *Klebsiella* species delineate *Klebsiella* and *Raoultella* gen. nov., with

- description of *Raoultella ornithinolytica* comb. nov., *Raoultella terrigena* comb. nov. and *Raoultella planticola* comb. nov. Int J Syst Evolut Microbiol, 51:925–32.
61. Duguid, J.P., 1959. Fimbriae and adhesive properties in *Klebsiella* strains. Microbiol, 21(1), pp.271-286.
 62. Dunier, M. and Siwicki, A.K., 1994. Effects of environmental contaminants and chemotherapeutics on fish defence mechanisms. Arch. Pol. Fisheries, 2
 63. Edmond, M.B., Wallace, S.E., McClish, D.K., Pfaller, M.A., Jones, R.N. and Wenzel, R.P., 1999. Nosocomial bloodstream infections in United States hospitals: a three-year analysis. Clin Infect Dis, 29(2), pp.239-244.
 64. Eissa, A.E. and Faisal, M., 2014. Clinical Outbreaks of Bacterial Kidney Disease (BKD) in Hatchery-Raised Brook Trout (*Salvelinus fontinalis*) (Mitchill, 1814): Lessons Learned. J Aquac Res Development, 5(242), p.2.
 65. EL-Deen, A.G.S., 2013. Susceptibility rate of nile tilapia (*Oreochromis niloticus*) and red swamp crayfish (*Procam barusclarkii*) to *Proteus vulgaris* infection. Assiut Vet. Med. J, 59, pp.138-145.
 66. El-Hady, M.A. and Samy, A.A., 2011. Molecular typing of *Pseudomonas* species isolated from some cultured fishes in Egypt. Glob Vet, 7(6), pp.576-580.
 67. Ellis, A.E., 1987. Inhibition of the *Aeromonas salmonicida* extracellular protease by alpha 2-macroglobulin in the serum of rainbow trout. Microb Pathog, 3:167e77.
 68. Ellis, A.E., 1999. Immunity to bacteria in fish. Fish Shellfish Immunol. 9(4), pp.291-308.

69. El-Sukhon, S.N., 2003. Identification and characterization of *Klebsiellae* isolated from milk and milk products in Jordan. *Food Microbiol*, 20(2), pp.225-230.
70. Erazo-Pagador, G.E., 2001. Environmental and other non-infectious diseases. In *Health Management in Aquaculture* (pp. 75-81). Aquaculture Department, Southeast Asian Fisheries Development Center.
71. Euzéby, J.P., 1997. List of Bacterial Names with Standing in Nomenclature: a folder available on the Internet. *Int. J. Syst. Evol. Microbiol.* 47: 590–592.
72. Fang, C.T., Chuang, Y.P., Shun, C.T., Chang, S.C. and Wang, J.T., 2004. A novel virulence gene in *Klebsiella pneumoniae* strains causing primary liver abscess and septic metastatic complications. *J Clin Exp Med*, 199(5), pp.697-705.
73. FAO, 2016. National Aquaculture Sector Overview, Fisheries and Aquaculture Department, Food and Agriculture Organization of the United Nations for a world without hunger, India.
74. Faruk, M.A.R., Sarker, M.M.R., Alam, M.J. and Kabir, M.B., 2004. Economic loss from fish diseases on rural freshwater aquaculture of Bangladesh. *Pak J Biol Sci*, 7(12), pp.2086-2091.
75. Food and Agriculture Organization of the United Nations (FAO). Fisheries Department, 2018. The state of world fisheries and aquaculture.
76. Francis- Floyd, R., 2005. Introduction to fish health management. IFAS Extension. Fisheries and Aquatic Sciences Department University of Florida US CIR 921: 1-4.

77. Francis-Floyd, R. and Wellborn, T.L., 1991. Introduction to fish health management. Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida.
78. Fryer, J.L. and Lannan, C.N., 1993. The history and current status of *Renibacterium salmoninarum*, the causative agent of bacterial kidney disease in Pacific salmon. *Fish Res*, 17(1-2), pp.15-33.
79. Fung, C.P., Chang, F.Y., Lee, S.C., Hu, B.S., Kuo, B.I., Liu, C.Y., Ho, M. and Siu, L.K., 2002. A global emerging disease of *Klebsiella pneumoniae* liver abscess: is serotype K1 an important factor for complicated endophthalmitis?. *Gut*, 50(3), pp.420-424.
80. Gahlawat, S.K., Ellis, A.E. and Collet, B., 2009. A sensitive loop mediated isothermal amplification (LAMP) method for detection of *Renibacteriumsalmoninarum*, causative agent of bacterial kidney disease in salmonids. *J Fish Dis*, 32(6), pp.491-497.
81. Gao, L., Jiang, X., Fu, S., Gong, H., 2014. In silico identification of potential virulence genes in 1, 3-propanediol producer *Klebsiella pneumoniae*. *J. Biotechnol*, 189:9–14.
82. García de la Torre, M., Romero-Vivas, J., Martínez-Beltrán, J., Guerrero, A., Meseguer, M. and Bouza, E., 1985. *Klebsiella* bacteremia: an analysis of 100 episodes. *Rev. Infect. Dis*, 7(2), pp.143-150.
83. García-Martínez, J., Acinas, S.G., Antón, A.I., Rodríguez-Valera, F., 1999. Use of the 16S-23S ribosomal genes spacer region in studies of prokaryotic diversity. *J Microbiol Meth*, 36: 55-64.
84. Gasque, P., 2004. Complement: a unique innate immune sensor for danger signals. *Mol Immunol*, 41(11), pp.1089-1098.

85. Gauldie, J., Richards, C. and Baumann, H., 1992. IL6 and the acute phase reaction. *Res. Immunol*, 143(7), pp.755-759.
86. Gee, J.E., Sacchi, C.T., Glass, M.B., De, B.K., Weyant, R.S., Levett, P.N., Whitney, A.M., Hoffmaster, A.R. and Popovic, T., 2003. Use of 16S rRNA gene sequencing for rapid identification and differentiation of *Burkholderia pseudomallei* and *B. mallei*. *J. Clin. Microbiol*, 41(10), pp.4647-4654.
87. Ghosh, A.K., Dutta, N.C. and Laha, G.C., 1987. Observations on dactylogyrid trematodes of *Catla catla* from Hooghly, West Bengal. *J Inland Fish Soc India*, 192, pp. 53-60.
88. Giri, S.S., Sen, S.S., Chi, C., Kim, H.J., Yun, S., Park, S.C. and Sukumaran, V., 2015. Effect of guava leaves on the growth performance and cytokine gene expression of *Labeo rohita* and its susceptibility to *Aeromonas hydrophila* infection. *Fish & Shellfish Immun*, 46 (2), pp.217-224.
89. Gobinath, J. and Ramanibai, R., 2014. Histopathological Studies in the Gill, Liver and Kidney of the Freshwater Fish *Labeo rohita* Fingerlings. *Int J Innov Res Sci Eng Technol*, 3(3), p.10296.
90. Gopalakannan, A. and Arul, V., 2006. Immunomodulatory effects of dietary intake of chitin, chitosan and levamisole on the immune system of *Cyprinus carpio* and control of *Aeromonas hydrophila* infection in ponds. *Aquaculture*, 255(1-4), pp.179-187.
91. Gopi, M., Kumar, T.T.A. and Prakash, S., 2016. Opportunistic pathogen *Klebsiella pneumoniae* isolated from Maldives' clown fish *Amphiprion nigripes* with hemorrhages at Agatti Island, Lakshadweep archipelago. *Int J Fisheries Aquatic Studies*, 4(3), 464-467.

92. Govind, P., Madhuri, S., Shrivastav, A.B., Sahni, Y.P., 2012. Overview of the treatment and control of common fish diseases. IRJP, 3(7): pp. 123-127.
93. Gundogan, N. and Yakar, U.A., 2007. Siderophore production, serum resistance, hemolytic activity and extended-spectrum β -lactamase-producing *Klebsiella* species isolated from milk and milk products. J Food Saf, 27(3), 251-264.
94. Gupta, A., Ampofo, K., Rubenstein, D. and Saiman, L., 2003. Extended spectrum β lactamase-producing *Klebsiella pneumoniae* infections: a review of the literature. J Perinatol, 23(6), 439.
95. Handbook of Fisheries Statistics., 2016. Govt. of West Bengal, Department of Fisheries, Directorate of Fisheries.
96. Hansen, D.S., Aucken, H.M., Abiola, T. and Podschun, R., 2004. Recommended test panel for differentiation of *Klebsiella* species on the basis of a trilateral interlaboratory evaluation of 18 biochemical tests. J Clin Microbiol, 42(8), pp.3665-3669.
97. Harikrishnan, R., Balasundaram, C., Moon, Y.G., Kim, M.C., Kim, J.S. and Heo, M.S., 2009. Use of herbal concoction in the therapy of goldfish. Bull Vet Inst Pulawy, 53, 27-36.
98. Harpreet, K. and Ranjeet, S., 2009. A new myxosporean species, *Myxoboluseirasi* sp. Nov.. And a known species *M. venkateshi* Seenappa and Manohar, 1981 from the Indian major carp fish *Cirrhina mrigala* (Ham.). Protistology, 6(2).
99. Hikima, J., Hirono, I. and Aoki, T., 1997. Characterization and expression of c-type lysozyme cDNA from Japanese flounder (*Paralichthys olivaceus*). Mol Mar Biol Biotechnol, 6(4), 339-344.

100. Holden, V.I., Breen, P., Houle, S., Dozois, C.M., Bachman, M.A., 2016. *Klebsiella pneumoniae* siderophores induce inflammation, bacterial dissemination, and HIF-stabilization during pneumonia. *mBio*, 7(5):e01397-16.
101. Hoque, F., Hussan, A., Das, A. and Chakraborty, P., 2002. Managing water quality and fish health in aquaculture: Farmer's traditional practices in west Bengal. *Health*, 5, 8.
102. Hossain, M.M.M., Rahman, M.Z., Islam, M.A., Alam, M.E. and Rahman, H., 2013. *Lernaea* (anchor worm) investigations in fish. *Int J Agric Food Sec*, 1, 12-19.
103. Huising, M.O., Stet, R.J., Savelkoul, H.F. and Verburg-van Kemenade, B.L., 2004. The molecular evolution of the interleukin-1 family of cytokines; IL-18 in teleost fish. *Dev Comp Immunol*, 28(5), .395-413.
104. Huntley, B.E., Jones, A.C. and Cabelli, V.J., 1976. *Klebsiella* densities in waters receiving wood pulp effluents. *J Water Pollut Control Fed*, 48 (7) 1766-1771.
105. Huttenhuis, H.B., Grou, C.P., Taverne-Thiele, A.J., Taverne, N. and Rombout, J.H., 2006. Carp (*Cyprinus carpio* L.) innate immune factors are present before hatching. *Fish Shellfish Immunol* 20(4), 586-596.
106. Ibrahim, K.S., 2011. Isolation and pathological study of Branchiomycosis from the commercial pond of common carp (*Cyprinus carpio*) fish, in Governorate of Duhok/Iraq. *Iraqi J. Vet med*, 35(1),.1-9.
107. Idowu, T.A., Adedeji, H.A. and Sogbesan, O.A., 2017. Fish Disease and Health Management in Aquaculture Production. *Int J Environ & Agri Sci*, 1, p.002.
108. Izquierdo, L., Coderch, N., Piqué, N., Bedini, E., Corsaro, M.M., Merino, S., Fresno, S., Tomás, J.M. and Regué, M., 2003. The *Klebsiella pneumoniae* wabG

- gene: role in biosynthesis of the core lipopolysaccharide and virulence. *J. Bacteriol*, 185(24), 7213-7221.
109. Janeway Jr, C.A. and Medzhitov, R., 2002. Innate immune recognition. *Annu Rev Immunol*, 20(1), pp.197-216.
110. Jang, S., Wheeler, L., Carey, R.B., Jensen, B., Crandall, C.M., Schrader, K.N., Jessup, D., Colegrove, K. and Gulland, F.M., 2010. Pleuritis and suppurative pneumonia associated with a hypermucoviscosity phenotype of *Klebsiella pneumoniae* in California sea lions (*Zalophus californianus*). *Vet Microbiol*, 141(1-2), pp.174-177.
111. Jarvis, W.R. and Martone, W.J., 1992. Predominant pathogens in hospital infections. *J. Antimicrob. Chemother*, 29 (suppl_A), pp.19-24.
112. Jarvis, W.R., Munn, V.P., Highsmith, A.K., Culver, D.H. and Hughes, J.M., 1985. The epidemiology of nosocomial infections caused by *Klebsiella pneumoniae*. *Infect. Control Hosp. Epidemiol*, 6(2), pp.68-74.
113. Jeeva, S., Lekshmi, N.P., Brindha, J.R. and Vasudevan, A., 2013. Studies on antibiotic susceptibility of *Aeromonas hydrophila* Isolated from gold fish (*Carassius auratus*). *Int J Curr Microbiol App Sci*, 2, pp.7-13.
114. Jonas, D., Spitzmüller, B., Daschner, F.D., Verhoef, J. and Brisse, S., 2004. Discrimination of *Klebsiella pneumoniae* and *Klebsiella oxytoca* phylogenetic groups and other *Klebsiella* species by use of amplified fragment length polymorphism. *Res Microbiol*, 155(1), pp.17-23.
115. Kannahi, M. and Senbagam, N., 2014. Studies on siderophore production by microbial isolates obtained from rhizosphere soil and its antibacterial activity. *J Chem Pharm Res*, 6(4), pp.1142-1145.

116. Kar, D., Dey, S.C., Roy, A. and Mandal, M., 2000. Epizootic ulcerative syndrome in fish at Barak Valley, Assam, India. Section-8 Sustainable Water Resource Management, Policies And Protocols.
117. Karunasagar, I., Ali, P.M., Jeyasekaran, G. and Karunasagar, I., 1986. Ulcerative form of *Aeromonas hydrophila* infection of *Catlacatla*. Current Science, 55(23), pp.1194-1195.
118. Kasuya, K., Takayama, K., Bito, M., Shimokubo, N., Kawashima, R. and Shibahara, T., 2017. Septicemic invasive *Klebsiella pneumoniae* infection in a cynomolgus monkey (*Macaca fascicularis*) with severe diffused suppurative meningoencephalitis. J Vet Med Sci, 79 (7), pp.1167-1171.
119. Kaur, H. and Singh, R., 2011. *Myxobolusharikensis* sp. nov. (Myxozoa: Myxobolidae) infecting fins of *Cirrhina mrigala* (Ham.)—an Indian major carp in Harike Wetland, Punjab (India). Parasitol Res, 109(6), pp.1699-1705.
120. Kaur, H. and Singh, R., 2011. Two new species of *Myxobolus* (Myxozoa: Myxosporidia: Bivalvulida) from freshwater fishes of Punjab wetlands (India). J Parasit Dis, 35(1), pp.33-41.
121. Kaur, H., Katoch, A. and Gupta, M., 2014. *Thelohanellus filli* sp. n., a pathogenic myxosporean infecting gills of cultured carp, *Labeo rohita* (Hamilton 1822) in Punjab, India. Species, 10(23), pp.31-38.
122. Khalil, R.H., Saad, T.T., Selema, T.A. and Abdel-Latif, H.M., 2015. *Branchiomyces demigrans* infection in farm-reared Common Carp (*Cyprinus carpio* L.) and Nile Tilapia (*Oreochromis niloticus*) at different localities in Egypt, with special emphasis to the role of environmental stress factors. Int. j. innov. stud. aquat. biol. fish, 1, pp.15-23.

123. Khatri, S., Sahu, J. and Prasad, M.M., 2009. Prevalence of fish diseases in Sambalpur, Orissa, India. *Asian Fish. Sci* 22, 569-581.
124. Kjøglum, S., Larsen, S., Bakke, H.G. and Grimholt, U., 2006. How specific MHC class I and class II combinations affect disease resistance against infectious salmon anaemia in Atlantic salmon (*Salmo salar*) *Fish & Shellfish Immunol*, 21(4), pp.431-441.
125. Knothe, H., Shah, P., Krcmery, V., Antal, M. and Mitsuhashi, S., 1983. Transferable resistance to cefotaxime, cefoxitin, cefamandole and cefuroxime in clinical isolates of *Klebsiella pneumoniae* and *Serratia marcescens*. *Infection*, 11(6), pp.315-317.
126. Kole, S., Anand, D., Sharma, R., Tripathi, G., Makesh, M., Rajendran, K.V. and Bedekar, M.K., 2017. Tissue specific expression profile of some immune related genes in *Labeo rohita* to *Edwardsiella tarda* infection. *Fish Shellfish Immunol*, 66, pp.575-582.
127. Kostman, J.R., Edlind, T.D., LiPuma, J.J. and Stull, T.L., 1992. Molecular epidemiology of *Pseudomonas cepacia* determined by polymerase chain reaction ribotyping. *J Clin Microbiol*, 30(8), pp.2084-2087.
128. Kubilay, A. and Ulukoy, G., 2004. First isolation of *Staphylococcus epidermidis* from cultured gilthead sea bream (*Sparus aurata*) in Turkey. *B Eur Assoc Fish Pat*, 24(3), pp.137-143.
129. Kumar, K., Prasad, K.P., Tripathi, G., Raman, R.P., Kumar, S., Tembhurne, M. and Purushothaman, C.S., 2014. Isolation, Identification, and Pathogenicity of a Virulent *Aeromonas jandaei* Associated with Mortality of Farmed *Pangasianodon hypophthalmus*, in India. *Isr J Aquac -Bamidgeh*, 67, pp 1-7.

130. Kumar, R., Pande, V., Singh, L., Sharma, L., Saxena, N., Thakuria, D., Singh, A.K. and Sahoo, P.K., 2016. Pathological findings of experimental *Aeromonas hydrophila* infection in Golden Mahseer (*Tor putitora*). Fish Aquac J,7, pp.1-6.
131. Kumar, R., Swaminathan, T.R., Kumar, R.G., Dharmaratnam, A., Basheer, V.S. and Jena, J.K., 2015. Mass mortality in ornamental fish, *Cyprinus carpio koi* caused by a bacterial pathogen, *Proteus hauseri*. Acta tropica, 149, pp.128-134.
132. Kumari, R. and Kumar, C., 2015. Fungal infection in some economically important freshwater fishes in gandak river near Muzaffarpur region of Bihar. Life, 50, p.1.
133. Kumari, R., Kole, S., Soman, P., Rathore, G., Tripathi, G., Makesh, M., Rajendran, K.V. and Bedekar, M.K., 2018. Bicistronic DNA vaccine against *Edwardsiella tarda* infection in *Labeo rohita*: construction and comparative evaluation of its protective efficacy against monocistronic DNA vaccine. Aquaculture, 485, pp.201-209.
134. Lahsen, A. and Iddya, K., 2014. The state of world fisheries and aquaculture: opportunities and challenges. State World Fish. Aquac,4, pp.40-41.
135. Lai, Y.C., Peng, H.L. and Chang, H.Y., 2001. Identification of Genes Induced In Vivo during *Klebsiella pneumoniae* CG43 Infection. Infect Immun, 69(11), pp.7140-7145.
136. Langoni, H., Guiduce, M.V.S., Nóbrega, D.B., Silva, R.C.D., Richini-Pereira, V.B., Salina, A. and Guimarães, F.D.F., 2015. Research of *Klebsiella pneumoniae* in dairy herds. Pesqui Vet Brasil, 35(1), pp.9-12.
137. Langstraat, J., Bohse, M. and Clegg, S., 2001. Type 3 fimbrial shaft (MrkA) of *Klebsiella pneumoniae*, but not the fimbrial adhesin (MrkD), facilitates biofilm formation. Infect Immun, 69(9), pp.5805-5812.

138. Lascols, C., Peirano, G., Hackel, M., Laupland, K. B., Pitout, J. D. D., 2013. Surveillance and molecular epidemiology of *Klebsiella pneumoniae* isolates that produce carbapenemases: first report of OXA-48-Like enzyme in North America. *Antimicrob Agents Chemother*, 57:pp. 130–6.
139. Ledebor, N.A., Lopansri, B.K., Dhiman, N., Cavagnolo, R., Carroll, K.C., Granato, P., Thomson, R., Butler-Wu, S.M., Berger, H., Samuel, L. and Pancholi, P., 2015. Identification of Gram-negative bacteria and genetic resistance determinants from positive blood culture broths by use of the Verigene Gram-negative blood culture multiplex microarray-based molecular assay. *J. Clin. Microbiol*, 53(8), pp.2460-2472.
140. Lini, M.R., Kurcheti, P.P., Babu, G. and Purushothaman, C.S., 2013. Effect of *Aeromonas hydrophila* infection on caspase-3 expression and activity in rohu, *Labeo rohita*. *J Aquac Res Dev*, 4(6), p.1.
141. Liu, Y., Chen, S.L., Meng, L. and Zhang, Y.X., 2007. Cloning, characterization and expression analysis of a novel CXC chemokine from turbot (*Scophthalmus maximus*). *Fish Shellfish Immunol*, 23(4), pp.711-720.
142. Livak, K.J. and Schmittgen, T.D., 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods*, 25(4), pp.402-408.
143. Luna, L.G., 1968. Manual of histologic staining methods of the Armed Forces Institute of Pathology.
144. Ly, L.T.T., Nguyen, D.N., Vo, P.H. and Doan, C.V., 2009. Hemorrhage disease of cultured tra catfish (*Pangasianodon hypophthalmus*) in Mekong Delta (Vietnam). *Isr J Aquac - Bamidgeh*, 61(3) pp.215-228.

145. Maal, K.B., Delfan, A.S. and Salmanizadeh, S., 2014. Isolation identification of *Klebsiella pneumoniae* and *Klebsiella oxytoca* bacteriophages and their applications in waste water treatment and coliform's phage therapy. *Res J Environ Sci*, 8(3), pp.123-133.
146. Magill, S.S., Edwards, J.R., Bamberg, W., Beldavs, Z.G., Dumyati, G., Kainer, M.A., Lynfield, R., Maloney, M., McAllister-Hollod, L., Nadle, J., Ray, S.M., Thompson, D.L., Wilson, L.E., Fridkin, S.K., 2014. Emerging infections program healthcare-associated infections and antimicrobial use prevalence survey team. multistate point-prevalence survey of health care associated infections. *N Engl. J. Med*, 370: pp. 1198–1208.
147. Magnadottir, B., 2006. Innate immunity of fish (overview). *Fish & Shellfish Immunol*, 20, pp. 137–151.
148. Mahmudunnabi, G., Momtaz, F., Foysal, M.J., Rahman, M.M. and Islam, K., 2018. Molecular detection and PCR-RFLP analysis using Pst1 and Alu1 of multidrug resistant *Klebsiella pneumoniae* causing urinary tract infection in women in the eastern part of Bangladesh. *Genet Eng Biotechnol J*, 16(1), pp.77-82.
149. Manoj, C.K., Nair, C.M., Patel, M.B. and Salin, K.R., 2010. Haematobiochemical and histopathological changes in *Labeo rohita* infected with *Aeromonas hydrophila* by immersion challenge. *Fish Technol*, 47(2), p.151.
150. Maroncle, N., Rich, C., Forestier, C., 2006. The role of *Klebsiella pneumoniae* urease in intestinal colonization and resistance to gastrointestinal stress. *Res. Microbiol*, 157(2): 184-193
151. Martin, R.M. and Bachman, M.A., 2018. Colonization, infection, and the accessory genome of *Klebsiella pneumoniae*. *Front Cell Infect Microbiol.*, 8, p.4.

152. Martinez, J.J., Mulvey, M.A., Schilling, J.D., Pinkner, J.S. and Hultgren, S.J., 2000. Type 1 pilus- mediated bacterial invasion of bladder epithelial cells. The EMBO journal, 19(12), pp.2803-2812.
153. Martins, M.L., Cardoso, L., Marchiori, N. and Benites de Pádua, S., 2015. Protozoan infections in farmed fish from Brazil: diagnosis and pathogenesis. Rev Bras Parasitol Vet., 24(1), pp.1-20.
154. Mastan, S.A. and Ahmad, M.O., 2018. Observations on saprolegnia infection in freshwater fishes of Lake Kolleru. Int. J. Fish. Aquat. Stud, 6(1): 102-105
155. Mastan, S.A. and Ahmed, M.O., 2013. Bacterial kidney disease (BKD) in Indian major carp fishes, *Labeo rohita* (Ham.) and *Cirrhinus mrigala* (Ham.)-natural occurrence and artificial challenge. Asian J. Pharm. Clin. Res, 6(3), pp.146-148.
156. Mastan, S.A., 2013. *Pseudomonas septicemia* in *Labeo rohita* (Ham.) and *Cyprinus carpio* (linn.) in Andhra Pradesh– natural occurrence and artificial challenge. Int J Pharm Pharm Sci, 5(2), pp.564-568.
157. May, T. and Okabe, S., 2011. Enterobactin is required for biofilm development in reduced genome *Escherichia coli*. Environ Microbiol, 13(12), pp.3149-3162.
158. McLean, R.J., Nickel, J.C., Cheng, K.J., Costerton, J.W. and Banwell, J.G., 1988. The ecology and pathogenicity of urease-producing bacteria in the urinary tract. CRC Critical reviews in microbiology, 16(1), pp.37-79.
159. Mishra, S.S., Rakesh, D., Dhiman, M., Choudhary, P., Debbarma, J., Sahoo, S.N., Barua, A., Giri, B.S., Ramesh, R., Ananda, K. and Mishra, C.K., 2017. Present Status of Fish Disease Management in Freshwater Aquaculture in India: State-of-the-Art-Review. J Aquac Fish, 1(003).
160. Mobley, H.L.T., Warren, J.W., 1996. Urinary tract infections: molecular pathogenesis and clinical management. MBio Washington pp. 295-312

161. Mohanty, B.R. and Sahoo, P.K., 2010. Immune responses and expression profiles of some immune-related genes in Indian major carp, *Labeo rohita* to *Edwardsiella tarda* infection. *Fish Shellfish Immunol*, 28(4), pp.613-621.
162. Mondal, A. and Das, S.K., 2005. Status and problems of bundh breeding in Bankura, West Bengal. *J. Inland Fish. Soc.*, 37(2), pp.69-74.
163. Mukherjee, S.C., 2002. Fish diseases in India, their causes and control measures. Course manual of Winter School on Recent Advances in Diagnosis and Management of Diseases in Mariculture. ICAR-Central Marine Fisheries Research Institute, Kochi, Kerala.
164. Munoz, M.A., Ahlström, C., Rauch, B.J. and Zadoks, R.N., 2006. Fecal shedding of *Klebsiella pneumoniae* by dairy cows. *J Dairy Sci*, 89(9), pp.3425-3430.
165. Munoz, M.A., Welcome, F.L., Schukken, Y.H. and Zadoks, R.N., 2007. Molecular epidemiology of two *Klebsiella pneumoniae* mastitis outbreaks on a dairy farm in New York State. *J Clin Microbiol*, 45(12), pp.3964-3971.
166. Murugadas, V., Joseph, T.C., Reshmi, K. and Lalitha, K.V., 2016. Prevalence of methicillin resistant *Staphylococcus aureus* in selected seafood markets and aquaculture farms in Kerala, south-west coast of India. *Indian J. Fish.*, 63(4): 150-153,
167. Nadasy, K.A., Domiati-Saad, R. and Tribble, M.A., 2007. Invasive *Klebsiella pneumoniae* syndrome in North America. *Clin Infect Dis*, 45(3), pp.e25-e28.
168. Naka, T., Nishimoto, N. and Kishimoto, T., 2002. The paradigm of IL-6: from basic science to medicine. *Arthritis Res Ther.*, 4(3), p.S233.
169. Nayak, K.K., Pradhan, J. and Das, B.K., 2014. Original Research Article Characterization, pathogenicity, antibiotic sensitivity and immune response of

- Flavobacterium columnare* isolated from *Cirrhinus mrigala* and *Carassius auratus*. Int.J. Curr. Microbiol. App. Sci, 3(11), pp.273-287.
170. Niemelä, S.I. and Väättänen, P., 1982. Survival in lake water of *Klebsiella pneumoniae* discharged by a paper mill. Appl. Environ. Microbiol, 44(2), pp.264-269.
171. Ohtomo, R. and Saito, M., 2003. A new selective medium for detection of *Klebsiella* from dairy environments. Microbes Environ, 18(3), pp.138-144.
172. Okonkwo, E.C., Orji, J.O., Nworie, O. and Ejikeugwu, P.C., 2018. Frequency and Antibigram of Urinary Isolates of *Klebsiella pneumoniae* Isolated from Urine Samples of Apparently Healthy School Children. J Appl Microbiol, 1(1).pp.297-303.
173. Oliveira, R.V., Peixoto, P.G., Ribeiro, D.D.C., Araujo, M.C., do Santos, C.T.B., Hayashi, C., Pedreira, M.M. and Pelli, A., 2014. *Klebsiella pneumoniae* as a main cause of infection in Nishikigoi *Cyprinus carpio* (carp) by inadequate handling. BJVP, 7(2), pp.86-88.
174. Omojowo, F.S. and Sogbesan, O.A., 2003. Fish losses due to bacterial flora and infections of fishes in Kainji Lake Area, Nigeria: A Review. Niger. Vet. J, 24(2), pp.41-47.
175. Orellana, C. and Lagos, R., 1996. The activity of microcin E492 from *Klebsiella pneumoniae* is regulated by a microcin antagonist. FEMS Microbiol Lett, 136(3), pp.297-303.
176. O'toole, G.A. and Kolter, R., 1998. Initiation of biofilm formation in *Pseudomonas fluorescens* WCS365 proceeds via multiple, convergent signalling pathways: a genetic analysis. Mol. Microbiol, 28(3), pp.449-461.

177. Pagrut, N.K., Ganguly, S., Jaiswal, V. and Singh, C., 2017. An overview on epizootic ulcerative syndrome of fishes in India: A comprehensive report. *J EntomolZool Stud*, 5(6), pp.1941-1943.
178. Park, S.B., Aoki, T. and Jung, T.S., 2012. Pathogenesis of and strategies for preventing *Edwardsiella tarda* infection in fish. *Vet Res*, 43(1), p.67.
179. Paterson, D.L., Siu, K.L. and Chang, F.Y., 2014. *Klebsiella* species (*K. pneumoniae*, *K. oxytoca*, *K. ozaenae* and *K. rhinoscleromatis*). <http://antimicrobe.org/new/b107.asp>.
180. Patra, A., Mondal, A., Banerjee, S., Adikesavalu, H., Joardar, S.N. and Abraham, T.J., 2016. Molecular characterization of *Argulus bengalensis* and *Argulus siamensis* (Crustacea: Argulidae) infecting the cultured carps in West Bengal, India using 18S rRNA gene sequences. *Mol Biol Res Commun*, 5(3), p.156.
181. Pattanayak, S., Kumar, P.R., Sahoo, M.K., Paul, A. and Sahoo, P.K., 2018. First field-based evidence of association of *Proteus mirabilis* causing large scale mortality in Indian major carp farming. *Aquaculture*, 495, pp.435-442.
182. Paul, P., 2014. Incidence of infectious diseases in farmed catfish in West Bengal (Doctoral dissertation, Kolkata).
183. Persichino, J., Kim, D., Lee, H. and Sutjita, M., 2015. Eight cases of invasive *Klebsiella pneumoniae* infection from a public teaching medical institution in the USA. *JMM Case Reports*, 2(4).
184. Petchimuthu, M., George, M.R., John, K.R., Kaviarasu, D. and Dinesh, R., 2018. Occurrence of parasites in aquaculture systems of South Tamil Nadu. *J EntomolZool Stud*; 6(2): 283-286.

185. Piperaki, E.T., Syrogiannopoulos, G.A., Tzouvelekis, L.S. and Daikos, G.L., 2017. *Klebsiella pneumoniae*: Virulence, Biofilm and Antimicrobial Resistance. *Pediatr Infect Dis J*, 36(10), pp.1002-1005.
186. Podschun, R. and Ullmann, U., 1998. *Klebsiella* spp. as nosocomial pathogens: epidemiology, taxonomy, typing methods, and pathogenicity factors. *Clin Microbiol Rev*, 11(4), pp.589-603.
187. Quade, M.J. and Roth, J.A., 1997. A rapid, direct assay to measure degranulation of bovine neutrophil primary granules. *Vet Immunol Immunopathol*, 58(3-4), pp.239-248.
188. Radkhah, A.R., 2017. Introduction to some species of *Argulus* (Crustacea: Branchiura), parasitic infections in the freshwater fishes. *Journal of Applied Sciences and Environmental Management*, 21(7), pp.1268-1271.
189. Ramaiah, N., 2006. A review on fungal diseases of algae, marine fishes, shrimps and corals. *Indian j. mar. sci*, 35(4), pp. 380-387
190. Ramkumar, R., Ravi, M., Jayaseelan, C., Rahuman, A.A., Anandhi, M., Rajthilak, C. and Perumal, P., 2014. Description of *Providencia vermicola* isolated from diseased Indian major carp, *Labeo rohita* (Hamilton, 1822). *Aquaculture*, 420, pp.193-197.
191. Ramudu, K.R. and Dash, G., 2013. Prevalence of monogenean parasites on Indian major carps in bheries of West Bengal. *Int J Chem Biochem Sci*, 4, pp.13-21.
192. Ramudu, K.R., Guguloth, B., Guguloth, R. and Dash, G., 2018. Parasitic study of Indian major carp, *Catla catla* (Hamilton, 1822) from Bheries in West Bengal, India. *Int. j. fish. aquat.*, 2018; 6(2): 202-206

193. Rao, Y.V., Chakrabarti, R., 2004. Enhanced anti-protease in *Labeo rohita* fed with diet containing herbal ingredients. Indian J. Clin. Biochem.,19, 132–134.
194. Regué, M., Hita, B., Piqué, N., Izquierdo, L., Merino, S., Fresno, S., Benedí, V.J. and Tomás, J.M., 2004. A gene, *uge*, is essential for *Klebsiella pneumoniae* virulence. Infect Immun, 72(1), pp.54-61.
195. Reller, L.B., Weinstein, M., Jorgensen, J.H. and Ferraro, M.J., 2009. Antimicrobial susceptibility testing: a review of general principles and contemporary practices. Clin Infect Dis, 49(11), pp.1749-1755.
196. Roberts, D.E., McClain, H.M., Hansen, D.S., Currin, P. and Howerth, E.W., 2000. An outbreak of *Klebsiella pneumoniae* infection in dogs with severe enteritis and septicemia. J Vet Diagn Invest, 12(2), pp.168-173.
197. Roe, W.D., Rogers, L., Pinpimai, K., Dittmer, K., Marshall, J. and Chilvers, B.L., 2015. Septicaemia and meningitis caused by infection of New Zealand sea lion pups with a hypermucoviscous strain of *Klebsiella pneumoniae*. Vet Microbiol, 176(3-4), pp.301-308.
198. Rompre, A., Servais, P., Baudart, J., De-Roubin, M.R. and Laurent, P., 2002. Detection and enumeration of coliforms in drinking water: current methods and emerging approaches. J. Microbiol. Methods, 49(1), pp.31-54.
199. Saha, M., Bandyopadhyay, P.K. and GÖÇMEN, B., 2017. First record of ectoparasitic ciliates, of genus *Trichodina* (Ciliophora: Trichodinidae) parasiting cultured Oranda Gold Fish (*Carassius auratus auratus L.*) in India. Zootaxa, 4319(1), pp.128-142.
200. Sahoo, P.K., Mohanty, J., Garnayak, S.K., Mohanty, B.R., Kar, B., Prasanth, H. and Jena, J.K., 2013. Estimation of loss due to argulosis in carp culture ponds in India. Indian J Fish, 60(2), pp.99-102.

201. Sahoo, P.K., Rauta, P.R., Mohanty, B.R., Mahapatra, K.D., Saha, J.N., Rye, M. and Eknath, A.E., 2011. Selection for improved resistance to *Aeromonas hydrophila* in Indian major carp *Labeo rohita*: Survival and innate immune responses in first generation of resistant and susceptible lines. *Fish & Shellfish Immunol*, 31(3), pp.432-438.
202. Sahoo, P.K., Swaminathan, T.R., Abraham, T.J., Kumar, R., Pattanayak, S., Mohapatra, A., Rath, S.S., Patra, A., Adikesavalu, H., Sood, N. and Pradhan, P.K., 2016. Detection of goldfish haematopoietic necrosis herpes virus (Cyprinid herpesvirus-2) with multi-drug resistant *Aeromonas hydrophila* infection in goldfish: First evidence of any viral disease outbreak in ornamental freshwater aquaculture farms in India. *Acta Trop*, 161, pp.8-17.
203. Saikia, D.J., Chattopadhyay, P., Banerjee, G. and Sarma, D., 2017. Time and dose dependent effect of *Pseudomonas aeruginosa* infection on the scales of *Channa punctata* (Bloch) through light and electron microscopy. *Turk J Fish Aquat Sc*, 17(5), pp.871-876.
204. Salgotra, V., Mastan, S.A. and Qureshi, T.A., 2005. Incidence of saprolegniasis in fishes of Hataikheda reservoir, Bhopal. *Indian J. Fish*, 52(3), pp.367-371.
205. Sambrook, J., and Russell, D.W., 2001. *Molecular cloning: a laboratory manual* (3-volume set) (Vol. 999). New York: Cold spring harbor laboratory press.
206. Sandhu, R., Dahiya, S. and Sayal, P., 2016. Evaluation of multiple antibiotic resistance (MAR) index and Doxycycline susceptibility of *Acinetobacter* species among inpatients. *Indian J Microbiol Res* 3(3), pp.299-304.
207. Sangeetha, E.S., Anrose, A., Rani, S.D., Sangeetha, S., 2018. Microbiological screening of *Aeromonas hydrophila* from infected fishes *Labeo rohita* and *Catla catla*. *Asian J Microbiol Biotechnol Environ Sci.*, 20, Pp231-235.

208. Sankaran, K. and Gurnani, S., 1972. On the variation in the catalytic activity of lysozyme in fishes. *IJBB*, 9(2), p.162.
209. Sarkar, N.K. and Ghosh, S., 1990. Two new myxozoan parasites of the genus *Thelohanellus* Kudo 1933 (Myxosporea: Myxobolidae) from fresh water fishes of West Bengal, India. *New Agriculturist*, 1(1), pp.35-38.
210. Sarker, S., Abraham, T.J., Banerjee, S., Adikesavalu, H. and Patra, A., 2017. Characterization, virulence and pathology of *Flavobacterium* sp. KG3 associated with gill rot in carp, *Catla catla* (Ham.). *Aquaculture*, 468, pp.579-584.
211. Sarter, S., Nguyen, H.N.K., Hung, L.T., Lazard, J. and Montet, D., 2007. Antibiotic resistance in Gram-negative bacteria isolated from farmed catfish. *Food control*, 18(11), pp.1391-1396.
212. Saurabh, K., Nag, V.L., Sharma, A., Maurya, A.K. and Hada, V., 2018. Abnormal morphological appearance of *Klebsiella pneumoniae* in blood culture: A microscopic observation. *Indian J Pathol Microbiol*, 61(4), pp.628-628.
213. Savelkoul, P.H.M., Aarts, H.J.M., De Haas, J., Dijkshoorn, L., Duim, B., Otsen, M., Rademaker, J.L.W., Schouls, L. and Lenstra, J.A., 1999. Amplified-fragment length polymorphism analysis: the state of an art. *J Clin Microbiol*, 37(10), pp.3083-3091.
214. Schroll, C., Barken, K.B., Krogfelt, K.A. and Struve, C., 2010. Role of type 1 and type 3 fimbriae in *Klebsiella pneumoniae* biofilm formation. *BMC Microbiol*, 10(1), p.179.
215. Sebastião, F.D.A., Lemos, E.G. and Pilarski, F., 2015. Validation of absolute quantitative real-time PCR for the diagnosis of *Streptococcus agalactiae* in fish. *J Microbiol Methods*, 119, pp.168-175.

216. Sebbane, F., Jarrett, C., Gardner, D., Long, D. and Hinnebusch, B.J., 2010. Role of the *Yersinia pestis* yersiniabactin iron acquisition system in the incidence of flea-borne plague. PLoS One, 5(12), p.e14379.
217. Secombes, C. J and Fletcher, T. C., 1992. The role of phagocytes in the protective mechanisms of fish. Annu. Rev. Fish Dis.,**2**, 53-71.
218. Secombes, C. J., 1996. The non-specific immune system: cellular defenses. In: The Fish Immune System: Organism, Pathogens and Environment (eds. Iwawa G and Nakanishi T), 63-103. Academic Press, San Diego, CA.
219. Seguel, M., Gottdenker, N.L., Colegrove, K., Johnson, S., Struve, C. and Howerth, E.W., 2017. Hypervirulent *Klebsiella pneumoniae* in California sea lions (*Zalophus californianus*): pathologic findings in natural infections. Vet Pathol, 1-5.
220. Selye, H., 1936. A syndrome produced by diverse nocuous agents. Nature, 138(3479), p.32.
221. Shankar-Sinha, S., Valencia, G.A., Janes, B.K., Rosenberg, J.K., Whitfield, C., Bender, R.A., Standiford, T.J. and Younger, J.G., 2004. The *Klebsiella pneumoniae* O antigen contributes to bacteremia and lethality during murine pneumonia. Infect Immun, 72(3), pp.1423-1430.
222. Sharma, M., Shrivastav, A.B., Sahni, Y.P. and Pandey, G., 2012. Overviews of the treatment and control of common fish diseases. IRJP, 3(7); 123- 127.
223. Sharma, R. and Gupta, A., 2014. Differentiation of oral Streptococcal species by haemolysis in blood agar medium in vitro. Int. j. eng. adv. technol, 4, pp.143-144.
224. Sharma, S., Kataria, A., Shringi, B., Nathawat, P., Bhati, T. and Mohammed, N., 2013. Detection of hypermucoviscous *Klebsiella pneumoniae* in camel

- (*Camelus dromedarius*) during an outbreak of acute respiratory tract infection. *J Camel Practic Res*, 20, pp.139-143.
225. Sharma, S.K., Mudgal, N.K., Sharma, P., Shringi, B.N., 2015. Comparison of phenotypic characteristics and virulence traits of *Klebsiella pneumoniae* obtained from pneumonic and healthy camels (*Camelus dromedarius*). *Adv. Anim. Vet. Sci*, 3(2), pp.116-122
226. Sharp, G. J. E and Secombes, C. J., 1993. The role of reactive oxygen species in the killing of the bacterial fish pathogen, *Aeromonas salmonicida* by rainbow trout macrophages. *Fish & Shellfish Immunol*, 3, 119-129.
227. Shefat, S.H.T. and Karim, M.A., 2018. Nutritional Diseases of Fish in Aquaculture and Their Management: A Review. *ASPS*, 2, pp.50-58.
228. Shon, A.S., Bajwa, R.P. and Russo, T.A., 2013. Hypervirulent (hypermucoviscous) *Klebsiella pneumoniae*: a new and dangerous breed. *Virulence*, 4(2), pp.107-118.
229. Singh, V., Chaudhary, D.K. and Mani, I., 2011. Molecular characterization and modeling of secondary structure of 16S rRNA from *Aeromonas veronii*. *Int J Appl Biol Pharm Technol*, 3(1), pp.253-260.
230. Sivasankar, P., John, K.R., George, M.R., Mageshkumar, P., Manzoor, M.M. and Jeyaseelan, M.P., 2017. Characterization of a virulent ranavirus isolated from marine ornamental fish in India. *Virus disease*, 28(4), pp.373-382.
231. Snieszko, S.F., 1974. The effects of environmental stress on outbreaks of infectious diseases of fishes. *J. Fish Biol*, 6(2), pp.197-208.
232. Soto, E., LaMon, V., Griffin, M., Keirstead, N., Beierschmitt, A. and Palmour, R., 2012. Phenotypic and genotypic characterization of *Klebsiella pneumoniae* isolates recovered from nonhuman primates. *J Wildl Dis*, 48(3), pp.603-611.

233. Spooren, A., Kolmus, K., Laureys, G., Clinckers, R., De Keyser, J., Haegeman, G. and Gerlo, S., 2011. Interleukin-6, a mental cytokine. *Brain Res Rev.*, 67(1-2), pp.157-183.
234. Srivastava, P.K. and Pandey, A.K., 2015. Role of immunostimulants in immune responses of fish and shellfish. *Biochem. Cell. Arch.*, 15(1), pp.47- 73.
235. Stahlhut, S.G., Tchesnokova, V., Struve, C., Weissman, S.J., Chattopadhyay, S., Yakovenko, O., Aprikian, P., Sokurenko, E.V. and Krogfelt, K.A., 2009. Comparative structure-function analysis of mannose-specific FimH adhesins from *Klebsiella pneumoniae* and *Escherichia coli*. *J. Bacteriol.*, 191(21), pp.6592-6601.
236. Struve, C., Bojer, M. and Krogfelt, K.A., 2008. Characterization of *Klebsiella pneumoniae* type 1 fimbriae by detection of phase variation during colonization and infection and impact on virulence. *Infect Immun.*, 76(9), pp.4055-4065.
237. Subasinghe, R.P., 2005. Epidemiological approach to aquatic animal health management: opportunities and challenges for developing countries to increase aquatic production through aquaculture. *Prev Vet Med.*, 67(2-3), pp.117-124.
238. Subasinghe, R.P., Bondad-Reantaso, M.G. and McGladdery, S.E., 2001. Aquaculture development, health and wealth.
239. Subasinghe, R.P., McGladdery, S.E. and Hill, B.J. eds., 2004. Surveillance and zoning for aquatic animal diseases (No. 451). Food & Agriculture Org.
240. Swain, B., Basu, M. and Samanta, M., 2012. Molecular cloning and characterization of nucleotide binding and oligomerization domain-1 (NOD1) receptor in the Indian Major Carp, rohu (*Labeo rohita*), and analysis of its inductive expression and down-stream signalling molecules following ligands

- exposure and Gram-negative bacterial infections. *Fish & Shellfish Immunol*, 32(5), pp.899-908.
241. Swain, P., Behura, A., Dash, S. and Nayak, S.K., 2007. Serum antibody response of Indian major carp, *Labeo rohita* to three species of pathogenic bacteria; *Aeromonas hydrophila*, *Edwardsiella tarda* and *Pseudomonas fluorescens*. *Vet Immunol Immunopathol*, 117(1-2), pp.137-141.
242. Swaminathan, T.R., Kumar, R., Dharmaratnam, A., Basheer, V.S., Sood, N., Pradhan, P.K., Sanil, N.K., Vijayagopal, P. and Jena, J.K., 2016. Emergence of carp edema virus in cultured ornamental koi carp, *Cyprinus carpio koi*, in India. *J. Gen. Virol.*, 97(12), pp.3392-3399.
243. Tafalla, C., Coll, J. and Secombes, C.J., 2005. Expression of genes related to the early immune response in rainbow trout (*Oncorhynchus mykiss*) after viral haemorrhagic septicemia virus (VHSV) infection. *Dev Comp Immunol*, 29(7), pp.615-626.
244. Takyi, R., Nunoo, F.K.E., Ziddah, P. and Oddoye, J., 2012. Occurrence of bacterial infection in two commonly cultured fish species on two fish farms in southern Ghana. *The World Journal of Biological Research*, 5(2), pp.81-92.
245. Tantry, T.A., Nazir, R., Chishti, M.Z., Ahmad, F., Dar, G.H. and Dar, J.S., 2016. A report on the incidence of *Trichodina heterodentata* from fishes of Jammu, J&K India. *J Parasit Dis*, 40(2), pp.524-527.
246. Taub, R., 2004. Liver regeneration: from myth to mechanism. *Nat. Rev. Mol. Cell Biol*, 5(10), p.836.
247. Thangaraj, R.S., Ravi, C., Kumar, R., Dharmaratnam, A., Saidmuhammed, B.V., Pradhan, P.K. and Sood, N., 2018. Derivation of two tilapia (*Oreochromis*

- niloticus*) cell lines for efficient propagation of Tilapia Lake Virus (TiLV). *Aquaculture*, 492, pp.206-214.
248. Tripathi, N.K., Latimer, K.S. and Rakich, P.M., 2003. Columnaris disease in freshwater fish. *Compendium: continuing education for veterinarians* 25(7), pp.528-536.
249. Tripathy, S., Kumar, N., Mohanty, S., Samanta, M., Mandal, R.N. and Maiti, N.K., 2007. Characterisation of *Pseudomonas aeruginosa* isolated from freshwater culture systems. *Microbiol. Res.*, 162(4), pp.391-396.
250. Trivedi, M., Branton, A., Trivedi, D., Shettigar, H., Gangwar, M. and Jana, S., 2015. Antibigram typing and biochemical characterization of *Klebsiella pneumoniae* after biofield treatment. *J Trop Med*, 3(4).
251. Twenhafel, N.A., Whitehouse, C.A., Stevens, E.L., Hottel, H.E., Foster, C.D., Gamble, S., Abbott, S., Janda, J.M., Kreiselmeier, N. and Steele, K.E., 2008. Multisystemic abscesses in African green monkeys (*Chlorocebus aethiops*) with invasive *Klebsiella pneumoniae*—identification of the hypermucoviscosity phenotype. *Vet Pathol*, 45(2), pp.226-231.
252. Vading, M., Nauclér, P., Kalin, M. and Giske, C.G., 2018. Invasive infection caused by *Klebsiella pneumoniae* is a disease affecting patients with high comorbidity and associated with high long-term mortality. *PloS one*, 13(4), p.e0195258.
253. Varela, M., Dios, S., Novoa, B. and Figueras, A., 2012. Characterisation, expression and ontogeny of interleukin-6 and its receptors in zebrafish (*Danio rerio*). *Dev Comp Immunol*, 37(1), pp.97-106.
254. Ventola, C.L., 2015. The antibiotic resistance crisis: part 1: causes and threats. *Pharm. Ther*, 40(4), p.277.

255. Ventura, M.T. and Grizzle, J.M., 1988. Lesions associated with natural and experimental infections of *Aeromonas hydrophila* in channel catfish, *Ictalurus punctatus* (Rafinesque). J Fish Dis, 11(5), pp.397-407.
256. Verma, V., 2008. Fungus disease in fish, diagnosis and treatment. Vet World, 1(2), p.62.
257. Vineetha, P. and Abraham, T.J., 2009. Assessment of fish health problems in freshwater aquaculture systems of Andhra Pradesh, India. Indian J. Fish, 56(4), pp.335-337.
258. Vishwanath, T.S., Mohan, C.V. and Shankar, K.M., 1998. Epizootic Ulcerative Syndrome (EUS), associated with a fungal pathogen, in Indian fishes: histopathology—a cause for invasiveness'.Aquaculture, 165(1-2), pp.1-9.
259. Wang, T. and Secombes, C.J., 2009. Identification and expression analysis of two fish-specific IL-6 cytokine family members, the ciliary neurotrophic factor (CNTF)-like and M17 genes, in rainbow trout *Oncorhynchus mykiss*. Mol Immunol, 46(11-12), pp.2290-2298.
260. Wareth, G., Murugaiyan, J., Khater, D.F. and Moustafa, S.A., 2014. Subclinical pulmonary pathogenic infection in camels slaughtered in Cairo, Egypt. J Infect Dev Ctries, 8(07), pp.909-913.
261. Watnick, P. and Kolter, R., 2000. Biofilm, city of microbes. J. Bacteriol, 182(10), pp.2675-2679.
262. Wayne, P. A. "Clinical and laboratory standards institute. Performance standards for antimicrobial susceptibility testing." (2011): 100-121.
263. Westbrook, G.L., O'Hara, C.M., Roman, S.B. and Miller, J.M., 2000. Incidence and identification of *Klebsiella planticola* in clinical isolates with emphasis on newborns. J Clin Microbiol, 38(4), pp.1495-1497.

264. Whitehouse, C.A., Keirstead, N., Taylor, J., Reinhardt, J.L. and Beierschmitt, A., 2010. Prevalence of hypermucoid *Klebsiella pneumoniae* among wild-caught and captive vervet monkeys (*Chlorocebus sabaues*) on the island of St. Kitts. *J Wildl Dis*, pp.971-976.
265. Wilcock, B.P., 1979. Experimental *Klebsiella* and *Salmonella* infection in neonatal swine. *Can J Comp Med*, 43(2), p.200.
266. Williamson, S., 2017. *Klebsiella pneumoniae* septicaemia in preweaned pigs. *Vet Rec.*, 180: 443.
267. Woo, P.C., Teng, J.L., Wu, J.K., Leung, F.P., Tse, H., Fung, A.M., Lau, S.K. and Yuen, K.Y., 2009. Guidelines for interpretation of 16S rRNA gene sequence-based results for identification of medically important aerobic Gram-positive bacteria. *J Med Microbiol*, 58(8), pp.1030-1036.
268. World Bank (2014) Reducing Disease Risk in Aquaculture. World bank report number 88257-GLB, Agriculture and environmental services discussion paper 09. <http://documents.worldbank.org/curated/en/110681468054563438/pdf/882570REPLACEM00NAME0Reantaso0Melba.pdf>.
269. Yanong, R.P., 2003. Fungal diseases of fish. *Vet Clin Exot Anim Pract*, 6(2), pp.377-400.
270. Yeh, K.M., Kurup, A., Siu, L.K., Koh, Y.L., Fung, C.P., Lin, J.C., Chen, T.L., Chang, F.Y. and Koh, T.H., 2007. Capsular serotype K1 or K2, rather than *magA* and *rmpA*, is a major virulence determinant for *Klebsiella pneumoniae* liver abscess in Singapore and Taiwan. *J Clin Microbiol*, 45(2), pp.466-471.
271. Yinnon, A.M., Butnaru, A., Raveh, D., Jerassy, Z. and Rudensky, B., 1996. *Klebsiella* bacteraemia: community versus nosocomial infection. *QJM-INT J MED*, 89(12), pp.933-942.

272. Younan, M., Glücks, I.V., Podschun, R. and Bornstein, S., 2013. Klebsiella pneumonia: A commensal and cause of septicaemia in camel calves (*Camelus dromedarius*). Journal of Camelid Science, 6, pp.90-99.
273. Younes, A.M., Mohamed, L.A., Eida, M.F. and Gaafar, A.Y., 2015. Characterization and pathogen challenge of *Pseudomonas* species from *Oreochromis niloticus* in Egypt. Res. J. Pharm., Biol. Chem. Sci, 6(1), pp.312-317.
274. Younis, G., Awad, A., El-Gamal, A. and Hosni, R., 2016. Virulence properties and antimicrobial susceptibility profiles of Klebsiella species recovered from clinically diseased broiler chicken. Adv. Anim. Vet. Sci, 4(10), pp.536-542.
275. Yu, W.L., Ko, W.C., Cheng, K.C., Lee, C.C., Lai, C.C. and Chuang, Y.C., 2008. Comparison of prevalence of virulence factors for *Klebsiella pneumoniae* liver abscesses between isolates with capsular K1/K2 and non-K1/K2 serotypes. Diagn. Microbiol. Infect. Dis., 62(1), pp.1-6.
276. Yu, W.L., Ko, W.C., Cheng, K.C., Lee, H.C., Ke, D.S., Lee, C.C., Fung, C.P., Chuang, Y.C., 2006. Association between rmpA and magA genes and clinical syndromes caused by *Klebsiella pneumoniae* in Taiwan. Clin. Infect. Dis, 42(10): 1351-1358.
277. Zaki, M.A., Salem, M.E.S., Gaber, M.M. and Nour, A.M., 2015. Effect of chitosan supplemented diet on survival, growth, feed utilization, body composition & histology of sea bass (*Dicentrarchus labrax*). WJERT, 3(04), p.38.
278. Zou, J., Grabowski, P.S., Cunningham, C. and Secombes, C.J., 1999. Molecular cloning of interleukin 1 β from rainbow trout *Oncorhynchus mykiss* reveals no evidence of an ICE cut site. Cytokine, 11(8), pp.552-560.

279. Zuo, X. and Woo, P.T.K., 1997. Natural anti-proteases in rainbow trout, *Oncorhynchus mykiss* and brook charr, *Salvelinus fontinalis* and the in vitro neutralization of fish α 2-macroglobulin by the metalloprotease from the pathogenic haemoflagellate, *Cryptobia salmositica*. *Parasitol*, 114(4), pp.375-382.