

List of Tables

Serial no.	Table No	Title	Page no.
	1	Table 2A.I Arsenic concentration in some countries.	7
Experiment-I	2	Table 5.1..IA.I Dose dependent changes in body weight, ovarian-somatic index and uterine-somatic index after arsenic treatment. Data represents here is mean \pm SE, N=6, $p < 0.001$. ANOVA followed by multiple student's t test. Same alphabet (superscript) in each column did not change from each other significantly.	69
Experiment-II	3	Table 5.1.IA.II Dose dependent Changes in ovarian steroidogenic enzyme activities, serum levels of gonadotrophins and estradiol after arsenic treatment. Data represents here is mean \pm SE, N=6, $p < 0.001$. ANOVA followed by multiple student's t test. Same superscript in each vertical column did not differ from each other significantly.	70
	4	Table 5.2.IIA.I: Duration dependent changes in body weight, ovarian-somatic index and uterine-somatic index after arsenic treatment. Data represents here is mean \pm SE, N=6, $p < 0.001$ and ANOVA followed by multiple	77

student's t test. Same superscript in each vertical column did not differ from each other significantly.

	5	Table 5.2.IIA.II:	Duration dependent changes in ovarian steroidogenic enzyme activities, serum levels of gonadotrophins and estradiol after arsenic treatment. Data represents here is mean \pm SE, N=6. ANOVA followed by two tailed student's t test were used to find out statistical significance at $p < 0.001$. An asterisk indicates an experimental value significantly different from the respective control value.	78
Experiment-III	6	Table 5.3.IIIA.1	Dose dependent changes in general body growth ovarian-somatic index and uterine-somatic index of rat is shown in response to sodium arsenite ingestion and its protection of the uterine weight by vitamin B ₁₂ and folate though As ³⁺ has no significant impact on the general growth status of the animal. Data represents here is mean \pm SE, N=6. Data of As ³⁺ - ingested or vitamins co-administered groups are compared to the corresponding vehicle treated group (Student's t test) * $p < 0.05$; ** $p < 0.01$.	86
Experiment-IV	7	Table 5.4.IVA.I:	Drug dependent changes in body weight, ovarian-somatic index and uterine-somatic index after drug administration. Data represents here	100

is mean \pm SE, N=6 and two tailed student's t test were used to find out statistical significance at $p < 0.001$. Same superscript in each vertical column did not differ from each other significantly.

	8	Table 5.4.IVA.II	Drug dependent changes in ovarian steroidogenic enzyme activities, serum levels of gonadotrophins and estradiol after drug administration. Data represents here is mean \pm SE, N=6. ANOVA followed by two tailed student's t test were used to find out statistical significance at $p < 0.001$. Same superscript in each vertical column did not differ from each other significantly.	101
Experiment-V	9	Table 5.5.VA.I	Effect of vitamin B ₁₂ and folic acid on general somatic growth along with hepato-somatic indices in arsenic-exposed rats. Mean \pm SE; N = 6. As compared with control, $P < 0.01$ (ANOVA followed by multiple comparison two-tailed t test). Same superscript did not differ from each other significantly.	110
Experiment-VI	10	Table 5.6.VIA I	Withdrawal effect of selective formulation of co-administration of Vit-B ₁₂ and/or folic acid in arsenic induced ovarian steroidogenic enzyme activities, serum levels of gonadotrophins and estradiol. Data represents here is mean \pm SE, N=6	116

and two tailed student's t test were used to find out statistical significance at $p < 0.001$. Same superscript in each vertical column did not differ from each other significantly.

Experiment-VI	11	Table 5.6.VIA.II: Withdrawal effect of selective formulation of co-administration of Vit-B ₁₂ and/or folic acid in arsenic induced female rat's Catalase, Superoxide dismutase, peroxidase activity in ovary and uterine tissue. Data represents here is mean \pm SE, N=6 and two tailed student's t test were used to find out statistical significance at $p < 0.001$. Same superscript in each vertical column did not differ from each other significantly.	117
Experiment-VII	12	Table 5.7.VII.A.I <i>In vitro</i> studies of sodium arsenite treatment on ovarian Δ^5 , 3 β -HSD and 17 β -HSD activity in mature albino rat. Data represents here is mean \pm SE, N=3. ANOVA followed by two tailed student's t test were used to find out statistical significance at $p < 0.001$. Same superscript in each vertical column did not differ from each other significantly.	121