M.Sc. 1st Semester Examination, 2010

PHYSICS

Full Marks: 40

Time: 2 hours

The figures in the right-hand margin indicate marks

Candidates are required to give their answers in their own words as far as practicable

Illustrate the answers wherever necessary

PAPER-PHS-103(A)

Time: 1 hour

[*Marks* : 20]

Answer Q.No.1 and any one from the rest

1. Answer any five questions:

 2×5

(a) What do you mean by input/output devices? Give two examples of input and output devices.

- (b) Which technology is used in fourth generation computer?
- (c) What is CPU? Name different components of the CPU.
- (d) What are the differences between source program and object program?
- (e) What is the fundamental unit to measure memory?
- (f) How a string of 30 characters be declared in FORTRAN? Suppose S1 and S2 are two strings. How you join these two strings?
- (g) What are the advantages of machine language?
- (h) Draw the four symbols along with their purposes which are used to draw a flowchart.
- 2. Write a program in FORTRAN to find the product of two matrices.

Write a function in FORTRAN to find the value of factorial of a positive integer n. Use this function to find the value of ⁿC_r which is equal to

$$\frac{n!}{r!(n-r)!}$$

Time: 1 hour

[Marks : 20]

Answer Q.No.1 and any one from the rest

1. Answer any five questions:

- 2×5
- (a) Construct the finite difference table of $f(x) = (x+2)^2$ for x = 1, 2, 3, 4 and find $\nabla^2 f(3)$
- (b) Define absolute and percentage error.
- (c) Derive a relation between shift operator (E) and Δ operator.

- (d) What are the direct and iterative methods of solving a system of linear equations? Distinguish between them.
- (e) Find the relative error in the computation of y x for y = 12.05 and x = 8.02, having absolute errors $\Delta x = 0.005$ and $\Delta y = 0.001$.
- (f) Give the geometrical interpretation of trapezoidal formula.
- (g) Write a set of sufficient conditions for the convergence of Gauss-Seidal iteration method.
- 2. (a) Establish Newton's forward interpolation formula for equispaced data points. When does the formula predict exact values?
 - (b) Compute $\int_{2}^{10} \frac{dx}{1+x}$ using
 - (i) Trapezoidal rule and
 - (ii) Simpson's 1/3 rd rule

taking h = 1.0 and compare the results with the exact value.

5

5

3. (a) Describe Newton-Raphson method for computing a simple real root of an equation f(x) = 0. Give a geometrical interpretation of the method

(b) Determine the largest eigenvalue and the corresponding eigenvalue of the following matrix

 $\begin{bmatrix}
 25 & 1 & 2 \\
 1 & 3 & 0 \\
 2 & 0 & -4
\end{bmatrix}$