

## List of figures

Sl no.	Title of the figure	Page no.
<b>1.0.</b>	Represented (A) the structural configuration of NAC and (B) two metal chelating site (hydroxyl plus thiol) and deacetylation site accountable for antioxidant potency.	18
<b>4.1.</b>	Graphical representation of experimental design of this research work.	43
<b>5.1.</b>	Study design and group distribution of <i>in vitro</i> experiment.	49
<b>5.2.</b>	The time dependent functioning of NAC in As <sup>3+</sup> and H <sub>2</sub> O <sub>2</sub> induced antioxidant enzyme activities in uterus, ovary and hepatic tissues.	56
<b>5.3.</b>	The functioning of NAC in As <sup>3+</sup> and H <sub>2</sub> O <sub>2</sub> driven antioxidant enzyme expression on native gel in uterine-ovarian and hepatic tissues. The band width was evaluated as % density in respect of control.	58
<b>5.4.</b>	The function of NAC with respect to As <sup>3+</sup> and H <sub>2</sub> O <sub>2</sub> driven steroidogenesis in ovary.	60
<b>5.5.A &amp; B</b>	Outcome of NAC in arsenic and H <sub>2</sub> O <sub>2</sub> propagated single cell degradation and tail diameter of degraded cell. The time dependent functioning of NAC with respect to As <sup>3+</sup> and H <sub>2</sub> O <sub>2</sub> on hepatic single cell damage. NAC exhibits its function as a shield against these toxic agents and compensated the damage.	62
<b>6.1.</b>	Effect of two diverse dosages of NAC on the pattern of estrous cycle in opposition to arsenication.	68
<b>6.2.</b>	Effect of two dosages of NAC on arsenic influenced lipid peroxidation plus NPSH in uterus.	69
<b>6.3.</b>	Effect of NAC on uterine antioxidant status via spectrophotometric study (A). Native gel study documented the demonstration of intracellular antioxidant enzymes (B).	71

<b>6.4.</b>	Functioning of NAC on LDH studied through spectrophotometric analysis (A). Study on agarose gel exhibited the propagation of LDH with respect to the co-application of As <sup>3+</sup> and NAC (B).	72
<b>6.5.</b>	Effect of changed dosage of NAC in arsenicated uterine DNA lesion (A1) estimated on agarose gel. The evaluation of band density was made using Image J software (A2). Arsenic persuaded formation of comet was indicated by arrows (B). NAC allocation significantly opposed the arsenic influenced comet formation.	74
<b>6.6.</b>	Affectivity of NAC (various doses) in the opposition of arsenic dominated disruption of ovarian steroidogenesis (A & B), and serum status of gonadotropins and estradiol (C, D & E).	76
<b>6.7.</b>	Effect of diverse dosages of NAC on arsenic intoxicated architecture of uterus and ovary (A & B). The indication of arrow mark denoted appearance of atretic follicle (B).	78
<b>7.1.</b>	Outcome of pre-treatment of NAC on estrous cycle status of arsenic fed rat.	84
<b>7.2.</b>	The preventive significance of NAC (pre-treatment) in antagonism of arsenic driven lipid peroxidation and soluble thiol production.	85
<b>7.3.</b>	The outcome of pre-administration of NAC on antioxidant enzymes and LDH status in arsenic fed animals.	87
<b>7.4.</b>	The adequacy of pre-treatment of NAC in the correction of arsenic challenged cellular DNA distortion via preventable mode. The arrow mark specified the comet cell appearance.	88
<b>7.5.</b>	The preventive effect of NAC (pre-treatment) in the correction of arsenic exhausted sex hormones, steroidogenesis and ER- $\alpha$ level in uterus.	89

<b>7.6.</b>	The significance of pre-treatment of NAC regarding arsenic aggravated diminution of B vitamins and elevation of measured inflammatory markers.	91
<b>7.7.</b>	Preventive outcome of pre-treatment of NAC in opposing the deteriorative action of arsenic in sex organs. The black coloured arrows specified atretic follicles.	92
<b>8.1.</b>	Represents the curative approach of NAC on arsenic directed changes of estrous cycle pattern.	98
<b>8.2.</b>	Presents the curative mode of significance of NAC, DMSA and NAC plus DMSA combination in the safeguarding of arsenic driven MDA, CD and NPSH status on ovarian-uterine tissues.	100
<b>8.3.</b>	Curative mode of effect of DMSA, NAC separately and conjointly on arsenic inhibited functionality of antioxidant enzymes within arsenicated reproductive organs.	102
<b>8.4.</b>	Curative action of DMSA plus NAC with respect to LDH status following arsenication.	104
<b>8.5.</b>	Represents the curative action of DMSA, NAC and their additive effect on uterine comet formation on account of arsenication.	105
<b>8.6.</b>	Presents the curative action of DMSA, NAC and its combined form in the down-streaming of arsenic mediated deleterious effect on sex hormones, steroidogenesis in ovary and ER- $\alpha$ receptor.	107
<b>8.7.</b>	The remedial action of DMSA and NAC alone or in combined form in the up-gradation of vitamin B <sub>12</sub> and folic acid and the suppression of MT-I and homocysteine level.	109
<b>8.8.</b>	The curative action of DMSA and NAC separately or their additive form in the lessening of sodium arsenite propagated uterine-ovarian histo-architectural deformities. The arrow sign marked as atretic follicle produced by arsenite.	110

<b>9.1.</b>	The curative effect of dietary NAC post-supplementation on the type of estrous phase sequence in arsenic fed animals.	116
<b>9.2.</b>	The curative mode of action of dietary NAC post-supplementation on redox status in female sex glands following arsenic consumption.	118
<b>9.3.</b>	The effect of dietary NAC post-supplementation to oppose arsenic driven LDH activity.	119
<b>9.4.</b>	Showing the curative effect of dietary NAC post-supplementation against arsenicated hepato-renal profile.	120
<b>9.5.</b>	The curative effect of dietary NAC post-supplementation on comet assay in uterus. The arrow specifies the comet cell appearance.	122
<b>9.6.</b>	The curative effect of dietary NAC post-supplementation in maintaining the status of vitamin B <sub>12</sub> plus folic acid in the circulation of arsenicated animals.	124
<b>9.7.</b>	Curative effect of dietary NAC post-supplementation in the opposition of arsenic persuaded utero-ovarian histological appearance. AF is remarked as atretic follicle.	125
<b>9.8.</b>	Effect of dietary NAC post-amplification in the resistance of arsenic provoked ER- $\alpha$ signaling in uterus (A) and its expression in utero-ovarian tissue (B & C).	126
<b>9.9.</b>	Effect of dietary NAC post-administration to alienate arsenic directed over expression of inflammatory sensors (A & B) and gene modulation (C) in uterus.	127
<b>10.1.</b>	Probable speculation of NAC functions in opposition of arsenic driven organ toxicity. The red coloured sign of (+) and (-) referred to arsenic action while green coloured (+) and (-) sign indicated the utility of NAC un-favoured of arsenic.	149